

- LUNIAK, M. 1982. Aims and possibilities of managing the avifauna of urban green areas in Poland. In: LUNIAK, M. & PISARSKI, B., eds., *Animals in urban environment*, pp 43-49. Warsaw, Poland, Polish Academy of Sciences.
- LUNIAK, M. & PISARSKI, B., Eds. 1982. *Animals in urban environment*. Warsaw, Poland, Polish Academy of Sciences.
- LYLE, J.T. 1986. A general approach to landscape design for wildlife habitat. In: ADAMS, L.W. & LEEDY, D.L., eds., *Integrating man and nature in the metropolitan environment*, pp 87-91. Chevy Chase, Columbia, National Institution for Urban Wildlife.
- LYNCH, J.F. 1987. Responses of breeding bird communities to forest fragmentation. In: SAUNDERS, D.A., ARNOLD, G.W., BURBIDGE, A.A. & HOPKINS, A.J.M., eds., *Nature Conservation: The Role of Remnants of Native Vegetation*, pp 123-140. Chipping Norton, NSW, Australia, Surrey Beatty and Sons.
- LYNCH, J.F. & WHIGHAM, D.F. 1984. Effects of forest fragmentation on breeding bird communities in Maryland, USA. *Biological Conservation* 28, 287-324.
- MACARTHUR, R.H. & WILSON, E.O. 1963. An equilibrium theory of insular zoogeography. *Evolution* 17, 373-387.
- MACCLINTOCK, L., WHITCOMB, R.F. & WHITCOMB, B.L. 1977. 11. Evidence for the value of corridors and minimization of isolation in preservation of biotic diversity. *American birds* 31, 6-16.
- MACDONALD, D.W. & SMITH, H. 1990. Dispersal, dispersion and conservation in the agricultural ecosystem. In: BUNCE, R.G.H. & HOWARD, D.C., eds., *Species Dispersal in Agricultural Habitats*, pp 418-464. London, Belhaven Press.
- MACKINTOSH, G. 1989. *Preserving communities and corridors*. Washington, Defenders of Wildlife.
- MACKLIN, D. Corridors of hope. *Conservation Now*, 22-25.
- MACNALLY, R.C. 1989. The relationship between habitat breadth, habitat position, and abundance in forest and woodland birds along a continental gradient. *Oikos* 54, 44-54.
- MADER, H.J. 1984. Animal habitat isolation by roads and agricultural fields. *Biological Conservation* 29, 81-96.
- MADER, H.J. 1988. Effects of increased spatial heterogeneity on the biocenosis in rural landscapes. *Ecological Bulletin* 39, 169-179.
- MADER, H.J. 1990. Introduction. Wildlife in cultivated landscapes. *Biological Conservation* 54, 167-173.
- MADER, H.J., SCHELL, C. & KORNACKER, P. 1990. Linear barriers to arthropod movements in the landscape. *Biological Conservation* 54, 209-222.
- MAEHR, D.S. 1990. The Florida Panther and private lands. *Conservation Biology* 4, 167-170.

- MAELFAIT, J.P. & KEER, R.D. 1990. The border zone of an intensively grazed pasture as a corridor for spiders Araneae. *Biological Conservation* 54, 223-238.
- MANSERGH, I.M. & SCOTTS, D.J. 1989. Habitat continuity and social organization of the mountain pygmy-possum restored by tunnel. *Journal of Wildlife Management* 53, 701-707.
- MARGULES, C., HIGGS, A.J. & RAFE, R.W. 1982. Modern biogeographic theory: are there any lessons for nature reserve design?. *Biological Conservation* 24, 115-128.
- MARSHALL, E.J.P. 1988. The dispersal of plants from field margins. In: PARK, J.R., ed., *Environmental management in Agriculture: European perspectives*, pp 136-143. London, Belhaven Press.
- MARSHALL, E.J.P. & SMITH, B.D. 1987. Field margin flora and fauna; interaction with agriculture. In: WAY, J.M. & GRIEG-SMITH, P.W., eds., *Field Margins*, pp 23-33. London, British Crop Protection Council.
- MARTIN, A.A. & TYLER, M.J. 1978. The introduction into Western Australia of the frog *Lymnodynastes tasmaniensis*. *Australian Zoologist* 19, 320-344.
- MATTHEWS, R., Ed. 1987. *Conservation monitoring and management*. Cheltenham, Countryside Commission.
- MAY, R.M. 1975. Island biogeography and the design of wildlife preserves. *Nature* 254, 177-178.
- MCNAB, A. & PRYCE, S. 1985. Lineside landscape. *Landscape Design*, December, 14-15.
- MCPHERSON, E.G. 1988. Functions of buffer plantings in urban environments. *Agriculture Ecosystems and Environment* 22/23, 281-298.
- MEANS, D.B. & SIMBERLOFF, D. 1987. The peninsula effect: habitat-correlated species decline in Florida's herpetofauna. *Journal of Biogeography* 14, 551-568.
- MENGHU, W. & TIEQIN, H. 1989. *National conservation management plan for the giant panda and its habitat*. Gland, Switzerland, Joint report, Ministry of Forestry and World Wide Fund for Nature, WWF International, CH-1196.
- MERRIAM, G. 1984. Connectivity: a fundamental ecological characteristic of landscape pattern. In: BRANDT, J. & AGGER, P., eds., *Landscape, ecological research and planning*, pp 5-16. Roskilde, Denmark, Roskilde University Centre.
- MERRIAM, G. 1988. Landscape dynamics in farmland. *Trends in Ecology and Evolution* 3, 16-20.
- MERRIAM, G. & LANOUE, A. 1990. Corridor use by small mammals: field measurements for three experimental types of *Peromyscus leucopus*. *Landscape Ecology* 4, pp 123-131.
- MIDDLETON, J. & MERRIAM, G. 1981. Woodland mice in a farmland mosaic. *Journal of Applied Ecology* 18, 703-710.
- MIDDLETON, J. & MERRIAM, G. 1983. Distribution of woodland species in farmland woods. *Journal of Applied Ecology* 20, 625-644.

- MIDDLETON, W.G.D. 1980. Roadside vegetation: a habitat for wildlife. In: *Roadsides of today and tomorrow*. Victoria, Roadside Conservation Committee.
- MILLER, R.I. 1978. Applying island biogeographic theory to an East African reserve. *Environmental Conservation* 5, 191-195.
- MILLER, R.I. 1979. Conserving the genetic integrity of faunal populations and communities. *Environmental Conservation* 6, 297-304.
- MILLER, R.I. & HARRIS, L.D. 1977. Isolation and extirpations in wildlife reserves. *Biological Conservation* 12, 311-315.
- MILLER, R.I. & HARRIS, L.D. 1979. Predicting species changes in isolated wildlife preserves. In: LINN, R.M., ed., *First Conference on Scientific Research in the National Parks*, pp 79-82. New Orleans, Louisiana, National Park Service and American Institute of Biological Sciences.
- MILLWARD, A. & MOSTYN, B. 1988. *People and Nature in Cities - Summary*. Peterborough, Nature Conservancy Council.
- MILWARD, A. & MOSTYN, B. 1989. *People and Nature in Cities*. Peterborough, Nature Conservancy Council.
- MOORE, N.W. 1962. The heaths of Dorset and their conservation. *Journal of Ecology* 50, pp 369-391.
- MOORE, N.W. 1970. The conservation of animals. In: HOOPER, M.D. & HOLDGATE, M.W., eds., *Hedges and hedgerow trees*, pp 53-57. Monks Wood Symposium no.4, Abbots Ripton, Huntingdon.
- MOORE, N.W. 1975. Butterfly transects in a linear habitat. *Entomologist's gazette* 26, 71-78.
- MOORE, N.W. & HOOPER, M.D. 1975. On the number of bird species in British woods. *Biological Conservation* 8, 239-249.
- MORRIS, M.G. & WEBB, N.R. 1987. The importance of field margins for the conservation of insects. In: WAY, J.M. & GRIEG-SMITH, P.W., eds., *Field Margins*, pp 53-65. London, British Crop Protection Council.
- MORRISON, P. 1988. A toad love-tunnel. *World Magazine* 13, 8-10.
- MULSOW, R. 1982. Bird communities as indicators of urban environment material and methods. In: LUNIAK, M. & PISARSKI, B., eds., *Animals in urban environment*, pp 61-64. Warsaw, Poland, Polish Academy of Sciences.
- MURPHY, D.D. 1988. The Kirby Canyon Conservation Agreement: a model for the resolution of land-use conflicts involving threatened invertebrates. *Environmental Conservation* 15, 45-57.
- MURPHY, D.D. 1988. Challenges to biological diversity in urban areas. In: WILSON, E.O. & PETER, F.M., eds., *Biodiversity*, pp 71-76. Washington DC, National Academy Press.

- MUSKETT, C.J. & JONES, M.P. 1980. The dispersal of lead, cadmium and nickel from motor vehicles and effects on roadside invertebrate macrofauna. *Environmental Pollution* 23, 231-242.
- MYERS, A.A. & GILLER, P.S., eds. 1988. *Analytical Biogeography: An Integrated Approach to the Study of Animal and Plant Distributions*. London, Chapman and Hall.
- MYERS, N. 1989a. *Deforestation Rates in Tropical Forests and their Climatic Implications*. London, Friends of the Earth.
- MYERS, N. 1989b. Extinction rates past and present. *Bioscience* 39, 39-41.
- NATIONAL PARK SERVICE. 1990. *Economic aspects of protecting rivers, trails and greenway corridors*. National Park Service, USA.
- NATIVE VEGETATION AUTHORITY. 1987. *Guidelines for the management of roadside vegetation*. Adelaide, Australia, Native Vegetation Authority.
- NATURE CONSERVANCY. 1971. *Wye Valley: Area of outstanding natural beauty*. Peterborough, The Nature Conservancy.
- NATURE CONSERVANCY COUNCIL. 1987. *Planning for wildlife in metropolitan areas*. Peterborough, Nature Conservancy Council.
- NATURE CONSERVANCY COUNCIL. 1988a. *A nature conservation strategy for Buckinghamshire*. Newbury, Nature Conservancy Council.
- NATURE CONSERVANCY COUNCIL. 1988b. *Tyne and Wear Nature Conservation Strategy*. Newcastle, Nature Conservancy Council.
- NATURE CONSERVANCY COUNCIL. 1990. Noisy miners undermine Brisbane's wildlife corridors. *Urban Wildlife News* 7, 23.
- NAVEH, Z. 1982. Landscape ecology as an emerging branch of human ecosystem science. *Advances in Ecological Research* 12, 189-237.
- NEWBEY, B.J. & NEWBEY, K.R. 1987. Bird dynamics of Foster Road Reserve, near Ongerup, Western Australia. In: SAUNDERS, D.A., ARNOLD, G.W., BURBIDGE, A.A. & HOPKINS, A.J.M., eds., *The role of remnants of native vegetation*, pp 341-343. Chipping Norton, NSW, Australia, Surrey Beatty and Sons.
- NEWBOLD, C. PURSEGLOVE, J. & HOLMES, N. 1983. *Nature conservation and river engineering*. Peterborough, Nature Conservancy Council.
- NEWMARK, W.D. 1986. Species-area relationship and its determinants for mammals in western North American National Parks. *Biological Journal of the Linnean Society* 27, 83-98.
- NEWMARK, W.D. 1987. A land-bridge island perspective on mammalian extinctions in western North American parks. *Nature* 325, 430-432.

- NICHOLLS, A.O. & MARGULES, C.R. 1991. The design of studies to demonstrate the biological importance of corridors. In: SAUNDERS, D.A. & HOBBS, R.J., eds., *Nature Conservation 2: The Role of Corridors*, pp 49-61. Chipping Norton, NSW, Australia, Surrey Beatty and Sons.
- NIEDRINGHAUS, R. & OLTHOFF, T. 1986. Zum auftreten der zikaden *Graphocephala fennahi* Young 1977, *Fieberiella macchiaie* Linnavuori 1962 und *Zyginella pulchra* Low 1885 in städtischen Bereichen Nordwest-deutschlands (Homoptera: Auchenorrhyncha). *Drosera* 86, 71-74.
- NILSON, D. 1977. Roadside management and wetland development along North Dakota highways. *North Dakota Outdoors* 40, 23-25.
- NIP-VAN DER VOORT, J. HENGEVELD, R. & HAEK, J. 1979. Immigration rates of plant species in three Dutch polders. *Journal of Biogeography* 6, 301-308.
- NORTON, T.W. & NIX, H.A. 1991. Application of biological modelling and GIS to identify regional wildlife corridors. In: SAUNDERS, D.A. & HOBBS, R.J., eds., *Nature conservation 2: The role of corridors*, pp 19-26. Chipping Norton, NSW, Australia, Surrey Beatty and Sons.
- NORTON, T.W. & WILLIAMS, J.E. 1990. Wildlife management in Australia: new developments and opportunities using computer-based generic models. *Mathematics and computers in simulation* 32, pp 231-235.
- NOSS, R.F. 1983. A regional landscape approach to maintain diversity. *BioScience* 33, 700-706.
- NOSS, R.F. 1987. Corridors in real landscapes: a reply to Simberloff and Cox. *Conservation Biology* 1, 159-164.
- NOSS, R.F. 1987. Protecting natural areas in fragmented landscapes. *Natural Areas Journal* 7, 2-13.
- NOSS, R.F. & HARRIS, L.D. 1986. Nodes, networks, and MUMs: Preserving diversity at all scales. *Environmental Management* 10, 299-309.
- O'BRIAN, S.J., ROELKE, M.E., MARKER, L., NEWMAN, A., WINKLER, C.A. MELTZER, D. COLLY, J., EVERMANN, J.F., BUSH, M. & WILDT, D.E. 1985. Genetic basis for species vulnerability in the cheetah. *Science* 227, 1428-1434.
- ODUM, E.P. 1971. *Fundamentals of Ecology*. Philadelphia, Saunders.
- OLDFIELD, S. 1988. *Buffer zone management in tropical moist forests*. Gland, Switzerland and Cambridge, UK, International Union for Conservation of Nature.
- OLTHOFF, T. 1986. *Untersuchungen zur insektenfauna Hamburger strassenbaume*. Entomologische Mitteilungen Aus Dem Zoologischen Museum Hamburg 127, 213-229.
- O'NEILL, D.H., ROBEL, R.J. & DAYTON, A.D. 1983. Lead contamination near Kansas highways: Implications for wildlife enhancement programs. *Wildlife Society Bulletin* 11, 152-160.
- OPDAM, P. 1990. Dispersal in fragmented populations: the key to survival. In: BUNCE, R.G.H. & HOWARD, D.C., eds., *Species dispersal in agricultural habitats*, pp 43-17. London, Belhaven Press.

- OPDAM, P. VAN DORP, D. & TER BRAAK, C.J.F. 1984. The effect of isolation on the number of woodland birds in small woods in the Netherlands. *Journal of Biogeography* 11, 473-478.
- ORMEROD, S.J. WEATHERLEY, N.S. & MERRETT, W.J. 1990. The influence of conifer plantations on the distribution of the golden ringed dragonfly *Cordulegaster boltoni* (Odonata) in Upland Wales. *Biological Conservation* 53, 241-251.
- OSBORNE, P. 1984. Bird numbers and habitat characteristics in farmland hedgerows. *Journal of Applied Ecology* 21, 63-82.
- OWEN, J. & OWEN, D.F. 1975. Suburban gardens: England's most important nature reserve?. *Environmental Conservation* 2, 53-59.
- OXLEY, D.J., FENTON, M.B. & CARMODY, G.R. 1974. The effects of roads on populations of small mammals. *Journal of Applied Ecology* 11, 51-59.
- PAGE, R.J.C. 1981. Dispersal and population density of the fox (*Vulpes vulpes*) in an area of London. *Journal of Zoology London* 194, 485-491.
- PAHL, L.I., WINTER, J.W. & HEINSOHN, G. 1988. Variation in responses of arboreal marsupials to fragmentation of tropical rainforest in north eastern Australia. *Biological Conservation* 46, 71-82.
- PATKIN, D.J. 1986. *Movements of birds along strips of vegetation in the southern Mount Lofty ranges*. BSc Dissertation, Zoology Department, University of Adelaide.
- PETERKEN, G.F. 1991. Ecological issues in the management of woodland nature reserves. In: SPELLERBERG, I.F., GOLDSMITH, F.B. & MORRIS, M.G., eds., *The Scientific Management of Temperate Communities for Conservation*, pp 245-272. Oxford, Blackwell Scientific Publications.
- PETERSON, G.L. 1967. A model of preference: quantitative analysis of the perception of the visual appearance of residential neighbourhoods. *Journal of Regional Science* 7, 19-31.
- PICKETT, S.T.A., KOLASA, J., ARMESTO, J.J. & COLLINS, S.L. 1989. The ecological concept of disturbance and its expression at various hierarchical levels. *Oikos* 54, 129-136.
- PICKETT, S.T.A. & THOMPSON, J.N. 1978. Patch dynamics and the design of nature reserves. *Biological Conservation* 13, 27-37.
- POLLARD, E. 1970. Biological effects of shelter-interrelations between hedge and crop invertebrate faunas. In: HOOPER, M.D. & HOLDGATE, M.W., eds., *Hedges and hedgerow trees*, pp 39-46. Monks Wood Symposium no.4, Abbots Ripton, Huntingdon.
- POLLARD, E. 1973. Hedges VII. Woodland relic hedges in Huntingdon and Peterborough. *Journal of Ecology* 61, 343-352.
- POLLARD, E., HOOPER, M.D. & MOORE, N.W. 1974. *Hedges*. London, Collins.
- POLLARD, E. & RELTON, J. 1970. Hedges. V. A study of small mammals in hedges and cultivated fields. *Journal of Applied Ecology* 7, 549-557.

- POYNTON, J.C. & ROBERTS, D.C. 1985. Urban open space planning in South Africa: A biogeographical perspective. *South African Journal of Science* 81, 33-37.
- PRANCE, G.T. 1991. Rates of loss of biological diversity: a global view. In: SPELLERBERG, I.F., GOLDSMITH, F.B. & MORRIS, M.G., eds., *The Scientific Management of Temperate Communities for Conservation*, pp 27-44. Oxford, Blackwell Scientific Publications.
- PREOBRAZHENSKIY, V.S. 1984. Trends of development of landscape ecology in the USSR. In: BRANDT, J. & AGGER, P., eds., *First International Seminar of the International Association of Landscape Ecology (IALE)*, pp 17-28. Roskilde, Denmark, Roskilde University Centre.
- PRESTON, F.W. 1962. The canonical distribution of commonness and rarity: Part I. *Ecology* 43, 185-215.
- PRESTT, I. 1971. An ecological study of the viper *Vipera berus* in southern Britain. *Journal of Zoology London* 164, 373-418.
- PREVETT, P.T. 1991. Movement paths of koalas in the urban-rural fringes of Ballarat, Victoria: Implications for management. In: SAUNDERS, D.A. & HOBBS, R.J., eds., *Nature Conservation 2: The Role of Corridors*, pp 259-272. Chipping Norton, NSW, Australia, Surrey Beatty and Sons.
- RAFE, R.W., USHER, M.B. & JEFFERSON, R.G. 1985. Birds on reserves: the influence of area and habitat on species richness. *Journal of Applied Ecology* 22, 327-335.
- RANNEY, J.W., BRUNER, M.C. & LEVENSON, J.B. 1981. The importance of edge in the structure and dynamics of forest islands. In: BURGESS, R.L. & SHARPE, D.M., eds., *Forest island dynamics in man-dominated landscapes*, pp 67-95. New York, Springer-Verlag.
- RATCLIFFE, D.R. 1984. Post-medieval and recent changes in British vegetation: the culmination of human influence. *New Phytologist* 98, 73-100.
- REED, D.F., WOODARD, T.N. & POJAR, T.M. 1975. Behavioural response of Mule Deer to a highway underpass. *Journal of Wildlife Management* 39, 361-367.
- REEVE, H.A. 1977. Evaluation of roadside verges. *Watsonia* 11, 148-149.
- REPETTO, R. & GILLIS, M., eds. 1988. *Public Policies and the Misuse of Forest Resources*. Cambridge, Cambridge University Press.
- RICHTER, H. 1984. Structural problems of urban landscape ecology. In: BRANDT, J. & AGGER, P., eds., *First International Seminar of the International Association of Landscape Ecology (IALE)*, pp 29-44. Roskilde, Denmark, Roskilde University Centre.
- RIJNSDORP, A.D. 1980. Pattern of movement in and dispersal from a Dutch Forest of *Carabus problematicus* Hbst. (Coleoptera, Carabidae). *Oecologia (Berl.)* 45, 274-281.
- RIVARD, I. 1965. Dispersal of ground beetles (Coleoptera: Carabidae) on soil surface. *Canadian Journal of Zoology* 43, 465-473.
- ROBBINS, C.S. 1979. Effect of forest fragmentation on bird populations. USDA General technical report NC-51, *Management of north central and northeastern forests for nongame birds*, pp 198-212.

- ROBBINS, C.S. 1980. Effect of forest fragmentation on breeding bird populations in the Piedmont of the Mid-Atlantic Region. *Atlantic Naturalist* 33, 31-36.
- ROBERTS, A.J., RUSSELL, C., WALKER, G.J. & KIRBY, K.J. 1992. Regional variation in the origin, extent and composition of Scottish woodland. *Botanical Journal of Scotland*, 46. 167-189.
- ROSENBERG, R.H. 1984. The effect of the landscape on the population structure of the admiral butterfly, *Limenitis weidemeyerii*. In: BRANDT, J. & AGGER, P., eds., *First International Seminar of the International Association of Landscape Ecology (IALE)*, pp 143-144. Roskilde, Denmark, Roskilde University Centre.
- RSNC. 1987. *Disappearing wildflowers*. Lincoln, Royal Society for Nature Conservation.
- RUDIS, V.A. & EK, A.R. 1981. Optimization of forest island spatial patterns: Methodology for analysis of landscape pattern. In: BURGESS, R.L. & SHARPE, D.M., eds., *Forest island dynamics in man-dominated landscapes*, pp 241-256. New York, Springer-Verlag.
- SALWASSER, H. 1986. Greenways for Americans. In: ADAMS, L.W. & LEEDY, D.L., eds., *Integrating man and nature in the metropolitan environment*, pp 119-121. Chevy Chase, Columbia, National Institution for Urban Wildlife.
- SAMWAYS, M.J. 1977. Effect of farming on population movements and acoustic behaviour of two bush crickets (Orthoptera: Tettigoniidae). *Bulletin of Entomological Research* 67, 471-481.
- SAMWAYS, M.J. 1988. Classical biological control and insect conservation: are they compatible?. *Environmental Conservation* 15, 349-354.
- SAMWAYS, M.J. 1989a. Insect conservation and landscape ecology: a case-history of Bush Crickets (Tettigoniidae) in Southern France. *Environmental Conservation* 16, 217-226.
- SAMWAYS, M.J. 1989b. Amnesty for insects. *South African Journal of Science* 85, 571-572.
- SAMWAYS, M.J. 1989c. Insect conservation and the disturbance landscape. *Agriculture Ecosystems and Environment* 27, 183-194.
- SANDS, A., ed. 1980. *Riparian forests in California*. University of California, Berkeley, Agricultural Sciences Publications.
- SARGENT, C. 1984. *Britain's Railway Vegetation*. Abbots Ripton, Institute of Terrestrial Ecology.
- SAUNDERS, D.A. 1980. Food and movements of the short-billed form of the White-tailed Black Cockatoo. *Australian Wildlife Research* 7, 257-269.
- SAUNDERS, D.A. 1989. Changes in the avifauna of a region, district and remnant as a result of fragmentation of native vegetation: the wheatbelt of Western Australia. A case study. *Biological Conservation* 50, 99-135.
- SAUNDERS, D.A. 1990. Problems of survival in an extensively cultivated landscape: the case of Carnaby's cockatoo *Calyptorhynchus funereus latirostris*. *Biological Conservation* 54, 277-290.



- SAUNDERS, D.A., ARNOLD, G.W., BURBIDGE, A.A. & HOPKINS, A.J.M. 1987. The role of remnants of native vegetation in nature conservation: future directions. In: SAUNDERS, D.A., ARNOLD, G.W., BURBIDGE, A.A. & HOPKINS, A.J.M., eds., *Nature Conservation: The Role of Remnants of Native Vegetation*, pp 387-392. Chipping Norton, NSW, Australia, Surrey Beatty and Sons.
- SAUNDERS, D., ARNOLD, G., BURBIDGE, A. & HOPKINS, A. 1985. Vegetation remnants: their role in nature conservation. *Environmental Conservation* 12, 370.
- SAUNDERS, D. & HOBBS, R. 1989. Corridors for conservation. *New Scientist* 121, 63-64.
- SAUNDERS, R.A. & HOBBS, R.J., Eds. 1991. *Nature Conservation: The Role of Corridors*. Chipping Norton, NSW, Australia, Surrey Beatty and Sons.
- SCARR, E. & D'MOSS. 1989. *Durban metropolitan open space system*. Durban City Council, South Africa, Parks, Recreation and Beaches Department.
- SCHAUMAN, S., PENLAND, S. & FREEMAN, M. 1987. Public knowledge of and preferences for wildlife habitats in urban open spaces. In: ADAMS, L.W. & LEEDY, D.L., eds., *Integrating man and nature in the metropolitan environment*, pp 113-118. Chevy Chase, Columbia, National Institution for Urban Wildlife.
- SCHONEWALD-COX, M. & BAYLESS, J.W. 1986. The boundary model: a geographic analysis of design and conservation of nature reserves. *Biological Conservation* 38, 305-322.
- SCHREIBER, R.K. & GRAVES, J.H. 1977. Powerline corridors as possible barriers to the movements of small mammals. *The American Midland Naturalist* 97, 504-508.
- SCHREIBER, R.K., JOHNSON, W.C., STORY, J.D., WENZEL, C. & KITCHINGS, J.T. 1976. *Effects of power line rights of way on small, non-game, mammal community structure*. Proceedings of a Symposium on Environmental Concerns in rights of way management, pp 263-273. Mississippi State University, USA.
- SCHWARTZ, M.W. 1988. Species diversity patterns in woody flora on three North American peninsulas. *Journal of Biogeography* 15, 759-774.
- SCHWARZKOPF, L. & RYLANDS, A.B. 1989. Primate species richness in relation to habitat structure in Amazonian rainforest fragments. *Biological Conservation* 48, 1-12.
- SHREEVE, T.G. & MASON, C.F. 1980. The number of butterfly species in woodlands. *Oecologia (Berlin)* 45, 414-418.
- SIMBERLOFF, D. & COX, J. 1987. Consequences and costs of conservation corridors. *Conservation Biology* 1, 63-71.
- SIMBERLOFF, D.S. & ABELE, L.G. 1976. Island biogeography theory and conservation practice. *Science* 191, 285-286.
- SINCLAIR, N.R. GETZ, L.L. & BOCK, F.S. 1967. Influence of stone walls on the local distribution of small mammals. *University of Connecticut Occasional Papers Biological Science Series* 1, 43-62.

- SLATER, F.M., CURRY, P. & CHADWELL, C. 1987. A practical approach to the evaluation of the conservation status of vegetation in river corridors in wales. *Biological conservation* 40, 53-68.
- SMITH, B. 1990. Nature conservation and transport. *Landscape Design* 190, 51-53.
- SMITH, H., FEBER, R.E., JOHNSON, P.J., McCULLUM, K., JENSEN, S.P., YOUNGS, M. & McDONALD, D.W. 1992/3. *The conservation management of arable field margins*. Peterborough, English Nature (English Nature Science 18).
- SOULÉ, M.E. 1986. What do genetics and ecology tell us about the design of nature reserves?. *Biological Conservation* 35, 19-40.
- SOULÉ, M.E. 1991. Theory and strategy. In: HUDSON, W.E., ed., *Landscape, linkages and biodiversity*, pp 91-104. Washington, Island Press.
- SOULÉ, M.E., BOLGER, D.T., ALBERTS, A.C., WRIGHT, J. SORICE, M. & HILL, S. 1988. Reconstructed dynamics of rapid extinctions of chaparral-requiring birds in urban habitat islands. *Conservation Biology* 2, 75-92.
- SOULÉ, M.E. & WILCOX, B.A. 1980. *Conservation biology*. Sunderland, Massachusetts, Sinauer Associates.
- SPELLERBERG, I.F., GOLDSMITH, F.B. & MORRIS, M.G., Eds. 1991. *The Scientific Management of Temperate Communities for Conservation*. Oxford, Blackwell Scientific Publications.
- SPENCER, J.W. & KIRBY, K.J. 1992. An inventory of ancient woodland for England and Wales. *Biological Conservation* 62, 77-93.
- SPIRN, A.W. 1984. *The Granite Garden*. New York, Basic Books Inc.
- SPOONER, B. 1986. *Urban and human ecology digest*. Paris, UNESCO-update.
- STEIN, W. 1986. Dispersal of insecta of public health importance. In: DANTHANARAYANA, W., ed., *Insect flight: dispersal and migration*, pp 242-252. Berlin, Springer-Verlag.
- SUCKLING, G.C. 1982. Value of reserved habitat for mammal conservation in plantations. *Australian Forestry* 45, 19-27.
- SUKOPP, H. 1983. Erfahrungen bei biotopkartierung in Berlin im hinblick auf ein schutzgebietssystem. *Deutscher rat fur landespflege* 41, 69-73.
- SUKOPP, H., ELVERS, H. & MATTES, H. 1982. Studies in urban ecology of Berlin (West). In: LUNIAK, M. & PISARSKI, B., eds., *Animals in urban environment*, pp 114-128. Warsaw, Poland, Polish Academy of Sciences.
- SUKOPP, H. & WERNER, P. 1987. Development of flora and fauna in urban areas. Strasbourg, Council of Europe. *Nature and Environment Series No. 36*.
- SULLIVAN, A.L. & SHAFFER, M.L. 1975. Biogeography of the megazoo. *Science* 189, 13-17.

- SUOMINEN, J. 1969. The plant cover of Finnish railway embankments and the ecology of their species. *Annales Botanici Fennici* 6, 183-235.
- SZACKI, J. 1987. Ecological corridor as a factor determining the structure and organization of a bank vole population. *Acta Theriologica* 32, 31-44.
- TAYLOR, R.D. 1982. Buffer zones: resolving the conflict between human and wildlife interests in the Sebungwe Region. *Zimbabwe Agricultural Journal* 79, 179-184.
- TEMPLETON, A.R. 1986. Coadaptation and outbreeding depression. In: SOULÉ, M.E., ed., *Conservation Biology: The Science of Scarcity and Diversity*, pp 105-116. Sunderland, MA, Sinauer Associates.
- TERBORGH, J. 1975. Faunal equilibria and the design of wildlife preserves. In: GOLLEY, F.B. & MEDINA, E., eds., *Tropical Ecological Systems*, pp 369-380. New York, Springer-Verlag.
- TERRASSON, F. & TENDRON, G. 1975. Evolution and conservation of hedgerow landscapes in Europe. Strasbourg, Council of Europe, *Nature and Environment Series* 8.
- TERREL-NIELD, C.E. 1986. Ecotones and community boundaries: Analysis by pitfall trapping. *Field Studies* 6, 407-428.
- THIOLLAY, J.M. 1989. Area requirements for the conservation of rain forest raptors and game birds in French Guiana. *Conservation Biology* 3, 128-137.
- THOMAS, J.W., MASER, C. & RODIEK, J.E. 1979. Edges. In: THOMAS, J.W., ed., *Wildlife habitats in managed forests: the Blue Mountains of Oregon and Washington*, pp 48-59. Washington DC, USDA, Agricultural Handbook No 553.
- THOMAS, J.A. 1991. Rare species conservation: case studies of European butterflies. In: SPELLERBERG, I.F., GOLDSMITH, F.B. & MORRIS, M.G., eds., *The Scientific Management of Temperate Communities for Conservation*, pp 149-197. Oxford, Blackwell Scientific Publications.
- THOMAS, M.B. & WRATTEN, S.D. 1988. Manipulating the arable crop environment to enhance the activity of predatory insects. *Aspects of Applied Biology* 17, 57-66.
- THOMPSON, J.R. 1986. Roadsides: a resource and a challenge. In: GOODE, D.A. & THORP, E., eds., *Ecology and Design in Landscape*, pp 325-340. Oxford, Blackwell Scientific Publications.
- TREWHELLA, W.J. & HARRIS, S. 1988. A simulation model of the pattern of dispersal in urban fox (*Vulpes vulpes*) populations and its application for rabies control. *Journal of Applied Ecology* 25, 435-450.
- TREWHELLA, W.J. & HARRIS, S. 1990. The effect of railway lines on urban fox (*Vulpes vulpes*) numbers and dispersal movements. *Journal of Zoology London* 221, 321-326.
- TREWHELLA, W.J., HARRIS, S. & MCALLISTER, F.E. 1988. Dispersal distance, home-range size and population density in the red fox (*Vulpes vulpes*): a quantitative analysis. *Journal of Applied Ecology* 25, 423-434.

- TROJAN, P. 1981. Urban fauna: Faunistic, zoogeographical and ecological problems. *Memorabilia Zoologica* 34, 3-12.
- TURNER, M.G., GARDNER, R.H., DALE, V.H. & O'NEILL, R.V. 1989. Predicting the spread of disturbance across heterogeneous landscapes. *Oikos* 55, 121-129.
- ULRICH, R.S. 1986. Human responses to vegetation and landscapes. *Landscape and Urban Planning* 13, 29-44.
- UNESCO, 1988. *Man belongs to the earth*. Paris, UNESCO.
- UNESCO, 1989. *Man and the Biosphere (MAB) Programme Biennial Report 1987-1988*. Paris, UNESCO.
- USHER, M.B. 1987. Effects of fragmentation on communities and populations: a review with applications to wildlife conservation. In: SAUNDERS, D.A., ARNOLD, G.W., BURBIDGE, A.A. & HOPKINS, A.J.M., eds., *Nature Conservation: The Role of Remnants of Native Vegetation*, pp 103-121. Chipping Norton, NSW, Australia, Surrey Beatty and Sons.
- USHER, M.B. 1988. Biological invasions of nature reserves: a search for generalisations. *Biological Conservation* 44, 119-135.
- VAN DER TOORN, J., BRANDSMA, M., BATES, W.B. & PENNY, M.G. 1969. De vegetatie van Zuidelijk Flevoland in 1968. *De levende Natuur* 72, 56-62.
- VAN DER ZANDE, A.N., TER KEURS, W.J. & VAN DER WEIJDEN, W.J. 1980. The impact of roads on the densities of four bird species in an open field habitat - evidence of a long-distance effect. *Biological conservation* 18, 299-321.
- VAN DORP, D. & OPDAM, P.F.M. 1987. Effects of patch size, isolation and regional abundance on forest bird communities. *Landscape Ecology* 1, 59-73.
- VAN DYKE, F.G., BROCKE, R.H. & SHAW, H.G. 1986. Use of road track counts as indices of mountain lion presence. *Journal of Wildlife Management* 50, 102-109.
- VAN DYKE, F.G., BROCKE, R.H., SHAW, H.G., ACKERMAN, B.B., HEMKER, T.P. & LINDZEY, F.G. 1986. Reactions of mountain lions to logging and human activity. *Journal of Wildlife Management* 50, 95-102.
- VAN GELDER, J.J. 1973. A quantitative approach to the mortality resulting from traffic in a population of *Bufo bufo* L. *Oecologia* 13, 93-95.
- VAN LEEUWEN, C.G. 1965. Het verband tussen natuurlijke en anthropogene landschapsvormen. *Overdruk uit Gorteria* 2, 93-105.
- VAN LEEUWEN, C.G. 1966. Het botanisch beheer van natuureservaten op structuur-oecologische grondslag. *Overdruk uit Gorteria* 3, 16-28.
- VANNOTE, R.L., MINSHALL, G.W., CUMMINS, K.W., SEDELL, J.R. & CUSHING, C.E. 1980. The river continuum concept. *Canadian Journal of Fish and Aquatic Science* 37, 130-137.

- VERKAAR, H.J. 1990. Corridors as a tool for plant species conservation. In: BUNCE, R.G.H. & HOWARD, D.C., eds., *Species Dispersal in Agricultural Habitats*, pp 82-97. London, Belhaven Press.
- WARREN, M.S. & FULLER, R.J. 1990. *Woodland rides and glades*. Peterborough, Nature Conservancy Council.
- WATT, T.A. & BUCKLEY, G.P. In press. *Hedges and nature conservation*. Wye, Wye College Press.
- WAY, J.M. 1973. *Road verges on rural roads. Management and other factors*. (Monks Wood Experimental Station. Occasional Reports No.1.) Institute of Terrestrial Ecology, Abbots Ripton, Huntingdon.
- WAY, J.M. 1977. Roadside verges and conservation in Britain: A review. *Biological Conservation* 12, 65-74.
- WAY, J.M. & GREIG-SMITH, P.W., Eds. 1987. *Field margins*. Thornton Heath, BCPC Publications.
- WEBB, N.R. & HASKINS, L.E. 1980. An ecological survey of heathland in the Poole Basin, Dorset, England in 1978. *Biological Conservation* 17, 281-296.
- WEBB, N.R., CLARK, R.T. & NICHOLAS, J.T. 1984. Invertebrate diversity on fragmented *Calluna*-heathland: effects of surrounding vegetation. *Journal of Biogeography* 11, 41-46.
- WEBB, R. 1988. The status of hedgerow field margins in Ireland. In: PARK, J.R., ed., *Environmental management in Agriculture: European perspectives*, pp 125-131. London, Belhaven Press.
- WEGNER, J.F. & MERRIAM, G. 1979. Movements by birds and small mammals between a wood and adjoining farmland habitats. *Journal of Applied Ecology* 16, 349-357.
- WEGNER, J. & MERRIAM, G. 1990. Use of spatial elements in a farmland mosaic by a woodland rodent. *Biological Conservation* 54, 263-276.
- WELCH, D., MILLER, G.R. & LEGG, C.J. 1990. Plant dispersal in moorlands and heathlands in Britain. In: BUNCE, R.G.H. & HOWARD, D.C., eds., *Species Dispersal in Agricultural Habitats*, pp 117-132. London, Belhaven Press.
- WELCH, J.B. 1989. Observations on dispersal of sterile screwworms (Diptera: Calliphoridae) in relation to a clear-cut utility right of way in southern Mexico. *Journal of Economic Entomology* 82, 1580-1584.
- WELCH, R.C. 1990. Dispersal of invertebrates in the agricultural environment. In: BUNCE, R.G.H. & HOWARD, D.C., eds., *Species Dispersal in Agricultural Habitats*, pp 203-218. London, Belhaven Press.
- WEST MIDLANDS COUNTY COUNCIL. 1984. *The Nature Conservation Strategy for the County of West Midlands*. West Midlands County Council, Birmingham.

- WHITE, R. & BURTON, I. 1983. Approaches to the study of the environmental implications of contemporary urbanisation. *MAB Technical Notes 14*, UNESCO, Paris.
- WHITMORE, T.C. & PRANCE, G.T. 1987. *Biogeography and Quaternary History in Tropical America*. Oxford, Clarendon Press.
- WILCOVE, D.S. & MAY, R.M. 1986. National park boundaries and ecological realities. *Nature 324*, 206-207.
- WILCOVE, D.S., MCLELLAN, C.H. & DOBSON, A.P. 1986. Habitat fragmentation in the temperate zone. In: SOULÉ, M.E., ed., *Conservation Biology. The science of scarcity and diversity*. pp 237-256. Sunderland, Massachusetts, Sinauer Associates.
- WILCOX, B.A. & MURPHY, D.D. 1985. Conservation strategy: the effects of fragmentation on extinction. *American Naturalist 125*, 879-887.
- WILLIAMS, L.R. MCLAUCHLIN, J. & HARRISON, T.G. 1987. Hedgerows surviving in suburban Kingsbury. *The London Naturalist 66*, 35-39.
- WILLIS, E.O. 1974. Populations and local extinctions of birds on Barro Colorado Island, Panama. *Ecological Monographs 44*, 153-169.
- WILSON, E.O. & WILLIS, E.O. 1975. Applied biogeography. In: CODY, M. & DIAMOND, J.M., eds., *Ecology and evolution of communities*, pp 522-534. Harvard, Belknap Press.
- WITTIG, R. & SCHREIBER, K.F. 1983. A quick method for assessing the importance of open spaces in towns for urban nature conservation. *Biological conservation 26*, 57-64.
- WOOLLARD, T. & HARRIS, S. 1990. A behavioural comparison of dispersing and non-dispersing foxes (*Vulpes vulpes*) and an evaluation of some dispersal hypotheses. *Journal of Animal Ecology 59*, 709-722.
- WRATTEN, S.D. 1988. The role of field boundaries as reservoirs of beneficial insects. In: PARK, J.R., ed., *Environmental management in Agriculture: European perspectives*, 144-150. London, Belhaven Press.
- WRATTEN, S.D. & THOMAS, C.F.G. 1990. Farm-scale spatial dynamics of predators and parasitoids in agricultural landscapes. In: BUNCE, R.G.H. & HOWARD, D.C., eds., *Species Dispersal in Agricultural Habitats*, pp 219-237. London, Belhaven Press.
- WUORENRINNE, H. 1982. Metsareunavyohykkeiden tarkastelua kaupunkimetsikoissa espoossa. *Memoranda Soc. Fauna Flora Fennica 58*, 97-101.
- YAHNER, R.H. 1983. Small animals in farmstead shelterbelts: habitat correlates of seasonal abundance and community structure. *Journal of Wildlife Management 47*, 74-84.
- YAHNER, R.H. 1988. Changes in wildlife communities near edges. *Conservation Biology 2*, 333-339.
- YALDEN, D.W. 1980. Urban small mammals. *Journal of Zoology (London) 191*, 403-433.

YAMAMOTO, M. 1977. A comparison of butterfly assemblages in and near Sapporo City, Northern Japan. *Journal of the Faculty of Science Hokkaido University Series VI Zoology* 20, 621-646.

ZERBE, V.S. 1989. Testing of movement pattern, specific to species, along corridors taking ground beetles (Carabidae) and locusts (Acrididae) as an example. *Landschaft & stadt* 21, 100-103.