Review and analysis of changes in waterbird use of the Mersey Estuary SPA, Mersey Narrows & North Wirral Foreshore pSPA and Ribble & Alt Estuaries SPA

Annex 3 - Roost locations at sector level

First published 27 May 2015

NATURAL ENGLAND

www.gov.uk/natural-england

This Annex contains figures for waterbird species for which data was obtained through WeBS counts, site meetings and the results of questionnaires. Each map shows the areas taken up by each roost inside or near to the boundaries of the Liverpool City Region SPAs.

- Red areas denote wader roosts
- Orange areas denote wildfowl roosts
- Brown areas denote cormorant roosts

Maps were reproduced from the Ordinance Survey map with the permission of the controller of HMSO. © Crown Copyright. All rights reserved. Licence Number: 100021787.

Ribble & Alt Estuaries SPA



Figure A.3.1 Roost Locations: Seaforth to Formby




Figure A.3.2 Roost Locations: Marshside Beach to Banks Marsh West




Figure A.3.3 Roost Locations: Crossens Out-Marsh to Banks Marsh Central




Figure A.3.4 Roost Locations: Hesketh Outmarsh East




Figure A.3.5 Roost Locations: Lytham Beach

Mersey Narrows & North Wirral Foreshore SPA




Figure A.3.6 Roost Locations: Red Rocks to Hoylake




Figure A.3.7 Roost Locations: Leasowe Bay and Islands




Figure A.3.8 Roost Locations: Thurstaston Fields, Caldy Fields, Frankby Fields, Gilroy Pond and Hoylake Langfields, Meols and Leasowe Lighthouse Fields, Leasowe Fields, and Bidston and Fender Fields (outside SPA boundaries)

Mersey Estuary SPA




Figure A.3.9 Roost Locations: Garston Shore to Hale, including Ince Bank and Frodsham Sludge Lagoons (outside SPA boundaries)




Figure A.3.10 Roost Locations: Manisty Bay




Figure A.3.11 Roost Locations: New Ferry