FYLDE BOROUGH LOCAL PLAN REVIEW
LAND NORTH OF LYTHAM ROAD, WARTON
Agricultural Land Classification
ALC Map and Report
August 1997

R D Metcalfe

Resource Planning Team

Northern Region FRCA Wolverhampton

RPT Reference:

43/97 & 25/RPT/0797

FRCA Reference: LURET Job Number: EL 21/11137 ME1AQK

AGRICULTURAL LAND CLASSIFICATION REPORT FYLDE BOROUGH LOCAL PLAN REVIEW LAND NORTH OF LYTHAM ROAD, WARTON

INTRODUCTION

- 1. This report presents the findings of a detailed Agricultural Land Classification (ALC) survey on 9.3 hectares of land. The results of this survey supersede any previous ALC information for this land. The land is located at Warton. The survey was in connection with the Fylde Borough Local Plan Review.
- 2. The survey was undertaken on behalf of the Ministry of Agriculture, Fisheries and Food (MAFF) in August 1997 by the Resource Planning Team of the Farming and Rural Conservation Agency (FRCA)- Northern region of FRCA.
- 3. The land has been graded in accordance with the publication "Agricultural Land Classification of England and Wales Revised guidelines and criteria for grading the quality of agricultural land" (MAFF 1988).
- 4. At the time of survey the agricultural land on this site was under grass.

SUMMARY

- 5. The findings of the survey are shown on the enclosed ALC map. The map has been drawn at a scale of 1:10000 with an average auger boring density of 1 per hectare. The ALC map is only accurate at this base map scale and any enlargement would be misleading.
- 6. The area and proportions of the ALC grades and subgrades on the surveyed land are summarised in Table 1.

Table 1: Area of grades and other land

Grade/Other land	Area (hectares)	% surveyed area	% site area
1			
2		ļ .	
3a	0.6	8	6
3b	6.7	92	73
4			
5			
Agricultural land not surveyed	1.9	N/A	20
Other land	0.1	N/A	1
Total surveyed area	7.3	100	
Total site area	9.3		100

- 7. The agricultural land on this site has been classified as Subgrade 3a (good quality) and Subgrade 3b (moderate quality). The key limitation to the agricultural use of this land is soil wetness.
- 8. The area of good quality land is located in the north western corner of the site. The soils commonly comprise either a medium clay loam or sandy clay loam overlying loamy medium sand, sand and clay.
- 9. The area of moderate quality land is located over most of the site. The soils commonly comprise a medium clay loam over heavy clay loam and clay.

FACTORS INFLUENCING ALC GRADE

Climate

- 10. Climate affects the grading of land through the assessment of an overall climatic limitation and also through interactions with soil characteristics.
- 11. The key climatic variables used for grading this site are given in Table 2 and were obtained from the published 5km grid datasets using standard interpolation procedures (Meteorological Office, 1989).

Factor Units Values SD 415 290 Grid reference N/A Altitude m, AOD 15 Accumulated Temperature day°C (Jan-June) 1423 Average Annual Rainfall 914 mm Field Capacity Days 204 days Moisture Deficit, Wheat mm 81 Moisture Deficit, Potatoes 61 mm Overall climatic grade N/A Grade 1

Table 2: Climatic and altitude data

- 12. The climatic criteria are considered first when classifying land as climate can be overriding in the sense that severe limitations will restrict land to low grades irrespective of favourable site or soil conditions.
- 13. The main parameters used in the assessment of an overall climatic limitation are average annual rainfall (AAR), as a measure of overall wetness, and accumulated temperature (AT0, January to June), as a measure of the relative warmth of a locality.
- 14. The combination of rainfall and temperature at this site means that there is no overall climatic limitation. The site is climatically Grade 1.

Site

- 15. The site lies at an altitude of about 15 metres AOD and is generally level.
- 16. The three site factors of gradient, microrelief and flooding are considered when classifying the land.
- 17. These factors do not impose any limitations on the agricultural use of this land.

Geology and Soils

- 18. The solid geology of the area is comprised of Sandstone. This is overlain with deposits of Boulder clay British Geological Survey (1971 and 1982).
- 19. The soils that have developed on this geology are generally of a medium clay loam texture over heavy clay loam and clay.

Agricultural Land Classification

20. The details of the classification of the site are shown on the enclosed ALC map and the area statistics of each grade are given in Table 1, page 1.

Subgrade 3a

- 21. Land of very good quality occupies 0.6 hectares (8%) of the site area and is found in the north western part of the site.
- 22. The soil has a medium clay loam texture over loamy sand, sand and clay at depth with few or no stones within the profile. The depth to gleying places this soil in Wetness Class III.
- 23. The main limitation to the agricultural use of this land is soil wetness.

Subgrade 3b

- 24. Land of moderate quality occupies 6.7 hectares (92%) of the site area and is found over much of the site.
- 25. The soil has a medium clay loam texture overlying heavy clay loam and clay. The depths to gleying and the slowly permeable layer place these soils in Wetness Class IV.
- 26. The main limitation to the agricultural use of this land is soil wetness.

Other Land

- 27. Other land occupies 0.1 hectares (1%) of the site area and is found ponds.
- 28. Part of the site covering 1.9 hectares (20%) was not surveyed due to access difficulties.

Resource Planning Team Northern Region FRCA Wolverhampton

SOURCES OF REFERENCE

British Geological Survey (1971) Sheet 75, Preston Drift Edition 1:63 360 Scale.

BGS: London.

British Geological Survey (1982) Sheet 75, Preston Solid Edition.

1:50 000 Scale. BGS: London.

Ministry of Agriculture, Fisheries and Food (1988) Agricultural Land Classification of England and Wales: Revised guidelines and criteria for grading the quality of agricultural

MAFF: London.

land.

Meteorological Office (1989) Climatological Data for Agricultural Land Classification. Meteorological Office: Bracknell.