5. Acknowledgements

Colour-ringing studies of cormorants at inland breeding colonies in the UK are part of a collaborative study conducted and funded by the North Notts Ringing Group (Jenny Kent, the late Tony Kent, Adrian Blackburn, Jez Blackburn, Gary Barker, Michael Briggs, Keith Seaman, Philip May and Dave Shore), Leicester and Rutland Wildlife Trust/Anglian Water (Tim Appleton), Graham Ekins and The Wildfowl & Wetlands Trust. We would like to thank the following landowners for permission for access to their land: Anglian Water (Rutland), CAMAS plc. and Huntingdonshire District Council (Paxton Pits), Redland Aggregates (Besthorpe), and Essex and Suffolk Water (Abberton). Many thanks to Ray Matthews for his help with ringing at Paxton Pits, and to Dr Roger Griffin (Essex and Suffolk Water), John Hall (Essex Wildlife Trust) and to the Essex Birdwatching Society. George Brown and Chris Harris provided essential support during the last nine years ringing activities at Abberton.

6. References

- ANON. 1997. Summary of an international meeting of experts to complete the development of an action plan for the great cormorant in the African-Eurasian region. *Wetlands International Cormorant Research Group Bulletin*, 3: 44-45.
- BREGNBALLE, T. 1996. Udviklingen I bestanden af Mellemskarv I Nord- og Mellemeuropa 1960-1995. *Dansk Orn. Tidsskr.*, 90: 15-20.
- BREGNBALLE, T., FREDERIKSEN, M. & GREGERSEN, J. 1997a. Seasonal distribution and timing of migration of cormorants *Phalacrocorax carbo sinensis* breeding in Denmark. *Bird Study*, 44:257-276.
- BREGNBALLE, T., GOSS-CUSTARD, J.D. & LE V. DIT DURELL, S.E.A. 1997c.

 Management of cormorant numbers in Europe: a second step towards a European conservation and management plan. Pp. 62-122 In: VAN DAM, C. & ASBIRK, S., eds. Cormorants and human interests: proceedings of the workshop towards an international conservation and management plan for the great cormorant (Phalacrocorax carbo), 3 and 4 October, Lelystad, The Netherlands. Wageningen: IKC Natuurbeheer, RIZA and the National Forest and Nature Agency.
- BREGNBALLE, T., SCHJØRRING, S.E., GREGERSEN, J., ABRAHAMSEN, L. & FRITZE, E. 1997b. Plastic leg-ring wear and loss in a study of cormorants. Proc. IV European conference on cormorants, Bologna. *Suppl. Ric. Biol. Selvaggina*, XXVI: 377-382.
- BUCHHEIM, A. 1997. Temporal limits of overwintering in migratory cormorants and the influence of frost-periods on wintering individuals. Proc. IV European conference on cormorants, Bologna. *Suppl. Ric. Biol. Selvaggina*, XXVI: 111-118.
- CALDER, W.A. 1974. Consequences of body size for avian energetics. Pp. 84-144 *In*: PAYNTER, R.A. JR. (Ed.). *Avian Energetics*. Cambridge: Nuttall Ornithol. Club.
- COULSON, J.C. & BRAZENDALE, M.G. 1968. Movement of cormorants ringed in the British Isles and evidence of colony specific dispersal. *Brit. Birds*, 61:1-21.
- CRAWLEY, M.J. 1993. GLIM for ecologists. *Methods in ecology*. Oxford: Blackwell Scientific Publications.
- EKINS, G.R. 1990. Origins of cormorants wintering in Essex with some reference to the Abberton Reservoir colony. *Essex Bird Report*, 1989:115-122.
- EKINS G.R. 1994. The dark fisherman. A summary of the main findings of research on the Abberton wintering and breeding populations of cormorants. *Essex Wildlife* January 1994.
- EKINS, G.R. 1996. The Abberton Reservoir (51°45′ N, 0°45′ E) tree-nesting cormorant colony: a summary of recent research. *Essex Bird Report*, 1994:153-167.


- EKINS, G.R. 1997. The origins of ringed cormorants *Phalacrocorax carbo* at Abberton Reservoir, Essex, England. *Ekologia Polska*, 45:139-151.
- EKINS, G. & HUGHES, B. 1994. Post-fledging dispersal of cormorants *Phalacrocorax* carbo as an indicator of sub-specific status. Slimbridge: unpubl. WWT report.
- GAUTHREAUX, S.A. JR. 1978. The ecological significance of behavioural dominance. Pp. 17-54. *In*: BATESON, P.P.G. & KLOPFER, P.H., eds. *Perspectives in ethology*, Vol. 3. New York: Plenum Press.
- GOOSTREY, A. 1997. Population differentiation in the great cormorant *Phalacrocorax* carbo within Europe. MSc thesis, University of Aberdeen.
- GOOSTREY, A., CARSS, D.N., NOBLE L.R. & PIERTNEY, S.B. 1998. Population introgression and differentiation in the great cormorant *Phalacrocorax carbo* in Europe. *Molecular Ecology*, 7:329-338.
- KERSHAW, M. & HUGHES, B. 1997. Trends in the numbers of cormorants *Phalacrocorax* carbo, goosanders *Mergus merganser*, and red-breasted mergansers *M. serrator* wintering in the UK. Slimbridge: unpublished WWT report to the British Trust for Ornithology.
- KIRBY, J.S., HOLMES, J.S. & SELLERS, R.M. 1996. Cormorants *Phalacrocorax carbo* as fish predators: an appraisal of their conservation and management in Great Britain. *Biol. Conserv.*, 75:191-199.
- KOSHELEV, A, CHABAN, B. & POKUSA, R. 1997. Seasonal distribution and mortality of cormorant from the northern Azov Sea. Proc. IV European conference on cormorants, Bologna. *Suppl. Ric. Biol. Selvaggina*, XXVI: 153-157.
- MARION, L. 1995. Where two subspecies meet: origin, habitat choice and niche segregation of cormorants *Phalacrocorax carbo carbo* and *P. c. sinensis* in the common wintering area (France) in relation to breeding isolation in Europe. *Ardea*, 83:103-114.
- MOGSTAD, D.K. & RØV, N. 1997. Movements of Norwegian great cormorants. Proc. IV European conference on cormorants, Bologna. *Suppl. Ric. Biol. Selvaggina*, XXVI: 145-151.
- MOTT, D.F. & BOYD, F.L. 1995. A review of techniques for preventing cormorant depredations at aquaculture facilities in southeastern United States. *Colonial Waterbirds*, 18:176-180.
- MYERS, J.P. 1981. A test of three hypotheses for latitudinal segregation of the sexes in wintering birds. *Can. J. Zool.* 59:1527-1534.
- NEWSON, S. in prep. Population dynamics of great cormorants at coastal and inland colonies in Britain. PhD. Thesis, University of Bristol.
- PORTER, R. 1987. Wintering cormorant survey 1985/86. BTO News, 150:11.

- REYMOND, A. & ZUCHUAT, O. 1995. Perch fidelity of cormorants *Phalacrocorax carbo* outside the breeding season. *Ardea*, 83:281-284.
- RUSSELL, I. C., DARE, P. J., EATON, D. R. & ARMSTRONG, J. D. 1996. Assessment of the problem of fish-eating birds in inland fisheries in England and Wales. Lowestoft: Directorate of Fisheries Research.
- SELLERS, R.M. 1993. Racial identity of cormorants *Phalacrocorax carbo* breeding at the Abberton Reservoir colony, Essex. *Seabird*, 15:45-52.
- SELLERS, R. M., EKINS, G. R., HUGHES, B. & KIRBY, J. S. 1997. Population development of inland breeding cormorants in Great Britain. Proc. IV European conference on cormorants, Bologna. Suppl. Ric. Biol. Selvaggina, XXVI: 11-21.
- SELLERS, R. M. & HUGHES, B. 1997. Inventory of inland cormorant roosts and breeding sites in Great Britain. Slimbridge: WWT Wetlands Advisory Service report to the Joint Nature Conservation Committee.
- SUMMERS, R.W. & LAING, S. 1990. Movements of cormorants from the Lamb, Firth of Forth. *Scottish Birds*, 16:29-32.
- VAN DAM, C. & ASBIRK, S., eds. 1997. Cormorants and human interests: proceedings of the workshop towards an international conservation and management plan for the great cormorant (Phalacrocorax carbo), 3 and 4 October, Lelystad, The Netherlands. Wageningen: IKC Natuurbeheer, RIZA and the National Forest & Nature Agency.
- VAN EERDEN, M.R. & MUNSTERMANN, M. J. 1995. Sex and age dependent distribution in wintering cormorants *Phalacrocorax carbo sinensis* in western Europe. *Ardea*, 83: 285-297.
- VELDKAMP, R. 1997. Cormorants Phalacrocorax carbo in Europe: a first step towards a European management plan. Lelystad: National Forest & Nature Agency, Denmark and National Centre for Nature Management.
- WERNHAM, C.V., ARMITAGE, M., HARRIS, R., HUGHES, B., HOLLOWAY, S.J., KERSHAW, M., MADEN, J.R., MARCHANT, J.H., PEACH, W.J. & REHFISCH, M.M. 1997. Population, distribution, movements and survival of fish-eating birds in Great Britain. BTO Research Report No.185. Thetford: Draft report by the British Trust for Ornithology under contract to the Department of the Environment (CR0180) and the Environment Agency.
- WINNEY, B.J. 1998. Cormorant population genetics and Turaco phylogenetics. PhD Thesis, University of Nottingham.
- YÉSOU, P. 1995. Individual migration strategies in cormorants *Phalacrocorax carbo* passing through or wintering in western France. *Ardea*, 83: 267-274.

7. Annexes


Annex 1. Monthly resighting distribution of Cormorants ringed as pulli at four inland breeding sites in England. Key in (a) applies to all maps.

(a) January (N = 108 resightings of 79 birds).




Additional sightings: France (3), Spain (2).

(b) February (N = 163 resightings of 98 birds).




Additional sightings: France (1), Spain (1).

(c) March (N = 430 resightings of 211 birds).




Additional sightings: Spain (1).


(d) April (N = 359 resightings of 194 birds).



(e) May (N = 218 resightings of 147 birds).




(f) June (N = 765 resightings of 445 birds).




Additional sightings: France (1).


(g) July (N = 575 resightings of 358 birds).



(h) August (N = 482 resightings of 246 birds).




(i) September (N = 391 resightings of 208 birds).




Additional sightings: France (2), Spain (1).

(j) October (N = 311 resightings of 155 birds).




Additional sightings: France (2).

(k) November (N = 142 resightings of 99 birds).



Additional sightings: France (4), Tunisia (1).


(1) December (N = 134 resightings of 81 birds).



Additional sightings: France (1), Spain (2).


Annex 2. Monthly resighting distribution of Cormorants ringed as pulli at four inland breeding sites in England and resighted as first year birds. Key in (a) applies to all maps.

(a) January (N = 59 resightings of 46 birds).



Additional sightings: France (2)


(b) February (N = 53 resightings of 44 birds).



Additional sightings: France (1)


Annex 2 (cont.). Monthly resighting distribution of Cormorants ringed as pulli at four inland breeding sites in England and resighted as first year birds. Key in (a) applies to all maps.

(c) March (N = 87 resightings of 68 birds).




Additional sightings: Spain (1)


(d) April (N = 129 resightings of 88 birds).



(e) May (N = 81 resightings of 62 birds).




(f) June (N = 515 resightings of 360 birds).




Annex 2 (cont.). Monthly resighting distribution of Cormorants ringed as pulli at four inland breeding sites in England and resighted as first year birds. Key in (a) applies to all maps.


(g) July (N = 338 resightings of 252 birds).



(h) August (N = 241 resightings of 170 birds).




(i) September (N = 184 resightings of 134 birds).



Additional sightings: France (2)


(j) October (N = 146 resightings of 92 birds).



Additional sightings: France (2)


Annex 2 (cont.). Monthly resighting distribution of Cormorants ringed as pulli at four inland breeding sites in England and resighted as first year birds. Key in (a) applies to all maps.

(k) November (N = 79 resightings of 61 birds).



Additional sightings: France (4), Tunisia (1)


(1) December (N = 58 resightings of 43 birds).



Additional sightings: France (1)


Annex 3. Monthly resighting distribution of Cormorants ringed as pulli at four inland breeding sites in England and resighted as second year birds. Key in (a) applies to all maps.

(a) January (N = 29 resightings of 22 birds).




Additional sightings: Spain (1)

(b) February (N = 34 resightings of 30 birds).




Additional sightings: Spain (1)


(c) March (N = 115 resightings of 73 birds).




(d) April (N = 102 resightings of 76 birds).



(e) May (N = 72 resightings of 61 birds).




(f) June (N = 104 resightings of 80 birds).




Additional sightings: France (1)


(g) July (N = 124 resightings of 81 birds).



(h) August (N = 136 resightings of 74 birds).




(i) September (N = 109 resightings of 67 birds).




Additional sightings: Spain (1)


(i) October (N = 68 resightings of 44 birds).



(k) November (N = 31 resightings of 26 birds).




(1) December (N = 39 resightings of 28 birds).



Additional sightings: Spain (2)


Annex 4. Monthly resighting distribution of Cormorants ringed as pulli at four inland breeding sites in England and resighted as adults. Key in (a) applies to all maps.

(a) January (N = 20 resightings of 18 birds).




Additional sightings: France (1), Spain (1)


(b) February (N = 76 resightings of 44 birds).




(c) March (N = 228 resightings of 126 birds).




(d) April (N = 128 resightings of 92 birds).




(e) May (N = 65 resightings of 48 birds).




(f) June (N = 146 resightings of 92 birds).




(g) July (N = 113 resightings of 65 birds).




(h) August (N = 105 resightings of 49 birds).




(i) September (N = 98 resightings of 54 birds).




(j) October (N = 97 resightings of 53 birds).



(k) November (N = 32 resightings of 25 birds).




(l) December (N = 37 resightings of 27 birds).




Annex 5. Resighting distribution of Cormorants ringed as pulli at Abberton Reservoir, Essex, in relation to month from ringing date (= age). Month from ringing date indicated in top left hand corner of maps. Key in (a) applies to all maps.


(1) N = 165 resightings of 126 birds.




(2) N = 609 resightings of 424 birds.




(3) N = 234 resightings of 161 birds.




(4) N = 208 resightings of 148 birds.




(5) N = 169 resightings of 116 birds.




(6) N = 105 resightings of 71 birds.




(7) N = 69 resightings of 49 birds.




(8) N = 61 resightings of 47 birds.




(9) N = 61 resightings of 48 birds.




(10) N = 64 resightings of 48 birds.




(11) N = 83 resightings of 63 birds.




(12) N = 123 resightings of 81 birds.




(13) N = 98 resightings of 74 birds.




(14) N = 114 resightings of 82 birds.




(15) N = 114 resightings of 69 birds.



(16) N = 121 resightings of 72 birds.



(17) N = 107 resightings of 62 birds.



(18) N = 54 resightings of 39 birds.

